IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an asser level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering res								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				Materials and	rials and Mfg Information			
upplier	r Information													
Company name*				Company unique ID			Unique ID Authority				Response Date*			
nsemi										2025-06-07				
ontact N	ame	Title - Contact			F	Phone - Contact*				Email - Contact*				
?roduct-H	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			F	Phone - Representative*			Emai	Email - Representative*				
Product-Env-Stewards Product Envi			nviro Compliance		NA			Prod	Product-Env-Stewards@onsemi.com					
	Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
		MUR1100EG REC SURN		REC SURM 1A 11	SURM 1A 1KV ULTFST		2025-06-07		CNP		250.99	mg	Each	
lanufa	cturing Process Informa		Comminal Daga	Aller	-STD-020 MS	I. Dating	Dools Drogo	as Dody Tampa	May Time o	t Dook Towns	matura Numb	on of Doflaw Cv	olog	
	8		Terminal Base Alloy J-STD-020 N CU Allov NA			L Kaung	Peak Process Body Temperature Max Time at 0 C 30		Ι΄.	seconds Seconds 3				
omments	` /		O Andy	I	VA.		U	<u> </u>	30	sec	onus 3			
minents)													
	information regarding materia	• • • •	1 6 4											

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its keloaration shall encompass all such components. Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sa											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	astislav Drska	-En									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.18	mg	Supplier	Silicon (Si)	7440-21-3		0.18	mg
Die Attach Solder	7.98		Supplier	Silver (Ag)	7440-22-4		0.1995	mg
			A	Lead (Pb)	7439-92-1	7a	7.3815	mg
			Supplier	Tin (Sn)	7440-31-5		0.399	mg
Lead Frame	125.08	mg	В	Nickel (Ni)	7440-02-0		0.2502	mg
			Supplier	Copper (Cu)	7440-50-8		124.8298	mg
Mold Compound-Black	116.8			Metal Hydroxide	proprietary data		5.84	mg
			Supplier	Carbon Black (C)	1333-86-4		1.168	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		87.6	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		11.68	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		10.512	mg
Plating	0.95	mg	Supplier	Tin (Sn)	7440-31-5		0.95	mg