	CONNECTING CS INDUSTRIES INCONNECTING International and Part	PC, Bannockb	ourn, Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, th	ent is a declara he declaration	tion of encom	the substances the substances and substances all lower	s within the er level mate	manufactur erials for wh	er listed it hich the m	em. Note: i anufacturei	f the item is an as has engineering	sembly with lower responsibility.	
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ous Materia	als and Mfg Information				
Supplie	r Information															
Company name* Comp				Company unique ID			Unique ID Authority					Response Date*				
nsemi												2024-04-25				
Contact N	lame		Title - Contact]	Phone - Contact*					Email - Contact*				
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
uthorize	ed Representative*		Title - Representative]	Phone - Representative*				Email - Representative*					
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
	Requester Item Number Mfr Item Nur MUR460FFG		Number Mfr Item Name			·	Effective Dat	e Ve	Version Manufacturing Site		ing Site	V	Veight*	UOM	Unit Type	
)FFG	REC SURM 4A 600V ULTFST			2024-04-25 CNP			1	130.87	mg	Each			
/Ianufa	cturing Proccess Informat	tion														
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020 M		-STD-020 MSI	L Rating	Peak Process Body Temperat		ure Max Time at Peak Temper		Temperati	ure Numb	er of Reflow Cyc	eles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		С	30		second	is 3				
omments	3															
or more	information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declar	ation			Declaration Type *	Detailed
Directive 2015/863/EU amending Rol Directive 2011/65/EU	(Pb), Mercury (Hg), Hexav		ninated Biphenyls (PBB), Polybror	dmium and quantity limit of 0.1% by mass (100 ninated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polyb contains a RoHS restricted substance i encompass all such components.Suppl as of the date that Supplier completes Company acknowledges that Supplier independently verified information pro- certification in this paragraph.If the Co	rominated biphenyls and/or polybror nexcess of an applicable quantity lim ier certifies that it gathered the inforr this form.Supplier acknowledges that may have relied on informationprovi ovided by others, Supplier agrees that ompany and the Supplier enter into a clusivesource of the Supplier's liabili	ninated diphenyl ethers (each a "R it, please indicate below which, if nation it provides in this form usin Company will rely on this certifud ded by others in completing this f , at a minimum, itssuppliers have written agreement with respect to ty and the Company's remedies for	toHS restricted substance") in exce any, RoHS exemption you believe ag appropriate methods to ensure it cation in determining the complian orm, and that Supplier may not hav provided certifications regarding th the identified part, the terms and co or issues that arise regarding inform	ropean Union member states) of the part identifies so of the applicable quantity limit identified about may apply. If the part is an assembly with lows a accuracy and that such information is true and ce of its products with European Union member re independently verified such information. How heir contributions to the part, and those certifica motions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of
RoHS Declaration * 4	- Item(s) does not contain RoHS restr	icted substances per the definition	above except for selected exempti	ons Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high meltin Exemption: 7c-I Electrical and elect	g temperature type solders (i.e. lead ronic components containing lead i	l based solder alloys containing n a glass or ceramic other than	85% by weight or more lead). dielectric ceramic in capacitors, o	e.g. piezoelectronic devices, or in a glass or ce	eramic matrix compound.
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the rec Requester) and click on Submit For			Supplier Acceptance drop-down	. This will display the signature area. Digital	ly sign the declaration (if required by the
Supplier Digital Signature	Rastislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.67	mg	Supplier	Silicon (Si)	7440-21-3		2.6433	mg
			Supplier	Lead Bisilicate	65997-18-4	7c	0.0267	mg
Die Attach Solder	3.6	mg	Supplier	Silver (Ag)	7440-22-4		0.09	mg
			А	Lead (Pb)	7439-92-1	7a	3.33	mg
			Supplier	Tin (Sn)	7440-31-5		0.18	mg
Lead Frame	738.3	mg	Supplier	Copper (Cu)	7440-50-8		738.3	mg
Mold Compound-Black	384.6	mg		Metal Hydroxide	proprietary data		19.23	mg
			Supplier	Carbon Black (C)	1333-86-4		3.846	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		288.45	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		38.46	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		34.614	mg
Plating	1.7	mg	Supplier	Tin (Sn)	7440-31-5		1.7	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3