ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® MOUSTRIES® International and Pa	PC. Bannockl	ourn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v s all lower	vithin the manufactu level materials for v	rer listed in the rest of the	tem. Note: nanufactur	if the item is an as er has engineering	sembly with low responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg					fg Informa	ation			
upplier Information														
Company name* Comp			Company unique ID			Unique ID Authority				Respon	Response Date*			
onsemi											2024-05-05			
ontact Name Title - Contact			et	P			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Envir			wiro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			sentative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Produc			roduct Enviro Compliance			NA				Produe	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type	
	N34TS1	4TS108C6ECT5G Temp sensor in CSI		CSP package		2024-05-05		PI	РНМ		0.93	mg	Each	
Ianufacturing Proccess Informa	tion		•											
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base /		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperatu		emperature	ure Max Time at Peak Tempera		ture Num	ber of Reflow Cyc	les	
SnAgCu CU Alloy		CU Alloy		1		260		С	30	secoi	nds 3			
omments														
vel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.036	mg		Epoxy resin	proprietary data		0.0075	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0007	mg
			Supplier	Acrylic resins	Proprietary Data		0.0075	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0203	mg
Die	0.67	mg	Supplier	Silicon (Si)	7440-21-3		0.67	mg
Protection coat	0.017	mg		Polyimide	proprietary data		0.017	mg
RDL Sputter	0.00184	mg	Supplier	Titanium (Ti)	7440-32-6		0.0002	mg
			Supplier	Copper (Cu)	7440-50-8		0.0016	mg
Solder Ball	0.144	mg	Supplier	Silver (Ag)	7440-22-4		0.0058	mg
			Supplier	Tin (Sn)	7440-31-5		0.1375	mg
			Supplier	Copper (Cu)	7440-50-8		0.0007	mg
UBM/RDL PCu	0.06073	mg	Supplier	Copper (Cu)	7440-50-8		0.0607	mg
UBM Sputter	4.3E-4	mg	Supplier	Titanium (Ti)	7440-32-6		0	mg
			Supplier	Copper (Cu)	7440-50-8		0.0004	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)