© Coj	erial Compositio pyright 2005. IPC, Ba ational and Pan-Amer	nnockbui	rn, Illinois. A	ll rights reserved untions.	nder both	This docum level parts, t	ent is a declara	tion of the s encompasse	ubstances es all lower	within the manufactur level materials for w	rer listed in hich the m	tem. Note: i nanufacturer	f the item is an as has engineering	ssembly with lowe responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfg Information			
Supplier Information														
Company name*			Company unique ID				Unique ID Authority				Response Date*			
onsemi											2025-05-12			
Contact Name	r	Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*			
Product-Env-Stewards	]	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item N	Requester Item Number Mfr Iten		m Number Mfr Item Name				Effective Dat	e Version Manufacturing Site			Weight*	UOM	Unit Type	
	N	NCP1094MNRG HINT O.		HINT OAC DFN	IINT OAC DFN10 NCP1094MNG		2025-05-12		P	PHG		25.48	mg	Each
Manufacturing Procce	ess Information								<u>,</u>					
Terminal Plating / Grid Array Material Terr		erminal Base Alloy J-STD-020 MSI		L Rating	Peak Process Body Temperatur		e Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	cles			
Matte Tin (Sn) - annealed CU			U Alloy 3				260 C 30			seconds 3				
omments														
TTENTION: MSL 3 Rated	d item requires Bake	and Dry	y Pack (after	electrical test)										
or more information regar	ding material compo	sition pl	lease refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.79	mg	Supplier	Silicon (Si)	7440-21-3		1.79	mg
Die Attach	0.45	mg	Supplier	Silver (Ag)	7440-22-4		0.3375	mg
			Supplier	Epoxy resins	129915-35-1		0.1125	mg
Lead Frame	10.5	mg	Supplier	Silver (Ag)	7440-22-4		0.105	mg
			Supplier	Tin (Sn)	7440-31-5		0.0262	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0231	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0262	mg
			Supplier	Copper (Cu)	7440-50-8		10.3194	mg
Mold Compound-Black	12.08	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.9664	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0604	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.2416	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		10.4492	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.3624	mg
Plating	0.56	mg	Supplier	Tin (Sn)	7440-31-5		0.56	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).