ABSOCIATION CONNECTING ELECTRONICE INDUSTRIES® INCLUSTRIES	C. Bannock	burn. Illinois. A	ll rights reserved untions.	under both	This docum level parts,	ent is a declar the declaration	ation of the s encompass	substances es all lowe	within the r level mat	manufacture erials for wh	er listed iten hich the mar	n. Note: if aufacturer	f the item is an as has engineering	sembly with lowe responsibility.	
				Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
Supplier Information															
Company name*			Company unique ID			Unique ID Authority					Response Date*				
onsemi										2025-05-09					
ntact Name Title - Contact			et	Phone - Contact*			act*	ct* Ema			Email - Co	Cmail - Contact*			
Product-Env-Stewards Produc			oduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Titl			Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards P			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	m Number Mfr Item N		Number Mfr Item Name			Effective Da	tive Date Version Manufacturing Site		ring Site	We	ight*	UOM	Unit Type		
	NCP380 BG	NCP380HMU20AAT OVER CURREN BG		T PROTECTIO	ON	2025-05-09		]	MY1		6.6	5	mg	Each	
Manufacturing Proccess Informat	ion														
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy	J-STD-020 MS	MSL Rating Peak Process Body Temperature Max Time at Peak Temperature N						e Numb	er of Reflow Cyc	eles		
Matte Tin (Sn) - annealed CU Alloy				1		260		С	30		seconds	3			
Comments															
evel 1 - maximum time at peak temperatu	re during so	ldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signa range of distribution diffess otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.32	mg	Supplier	Silicon (Si)	7440-21-3		0.32	mg		
Die Attach	0.05	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.016	mg		
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.034	mg		
Lead Frame	2.75	mg	Supplier	Silver (Ag)	7440-22-4		0.066	mg		
			Supplier	Tin (Sn)	7440-31-5		0.0069	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.006	mg		
			Supplier	Chromium (Cr)	7440-47-3		0.0069	mg		
			Supplier	Copper (Cu)	7440-50-8		2.6642	mg		
Mold Compound-Black	3.09	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.2472	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0154	mg		
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0618	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		2.6728	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0927	mg		
Plating	0.2	mg	Supplier	Tin (Sn)	7440-31-5		0.2	mg		
Wire Bond - Au	0.24	mg	Supplier	Gold (Au)	7440-57-5		0.24	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).