ASSOCIATION CONNECTING ELECTROMICS INDUSTRIES® MOUSTRIES® MOUSTRIES® MOUSTRIES®	burn. Illinois. All rights reserved u	Inder both This docu	ment is a declaratio s, the declaration en	n of the substance compasses all low	es within the manufacture ver level materials for wh	er listed item. Note: if hich the manufacturer	the item is an as has engineering	ssembly with lower responsibility.		
IPC Web Site for Information on I http://www.ipc.org/IPC-175x	PC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information 						
Supplier Information										
Company name*	pany name* Company unique ID		Unique ID Authority			Response Date*				
onsemi	semi						2024-04-19			
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance		NA			Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Item	n Number Mfr Item Name	Mfr Item Name		Version	Manufacturing Site	Weight*	UOM	Unit Type		
NCP691	MN15T2G LDO DEVICE		2024-04-19		MY1	19.71	mg	Each		
Manufacturing Proccess Information										
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-020 MS		Peak Process Body Temperature Max Time at Pea		ure Max Time at Peak	k Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy 1			260	С	30	seconds 3				
Comments										
evel 1 - maximum time at peak temperature during so	ldering is 10-30 seconds									
For more information regarding material composition	please refer to page 3									

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).								
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.07	mg	Supplier	Silicon (Si)	7440-21-3		1.07	mg
Die Attach	0.18	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0576	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.1224	mg
Lead Frame	2.78	mg	Supplier	Silver (Ag)	7440-22-4		0.0556	mg
			Supplier	Iron (Fe)	7439-89-6		0.0612	mg
			Supplier	Copper (Cu)	7440-50-8		2.6632	mg
Mold Compound-Black	14.25	mg		Epoxy resin	proprietary data		0.9975	mg
			Supplier	Phenolic Resin	Proprietary Data		0.9975	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.1375	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0712	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		10.0462	mg
Plating	1.22	mg	Supplier	Tin (Sn)	7440-31-5		1.22	mg
Wire Bond - Au	0.21	mg	Supplier	Gold (Au)	7440-57-5		0.21	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).