© Copyright 2	omposition De 005. IPC, Bannock nd Pan-American c	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	ibstances v s all lower	vithin the manufactu level materials for v	rer listed it which the m	em. Note: anufacture	if the item is an as r has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name* Com			Company unique ID			Unique ID Authority				Respons	Response Date*			
onsemi										2025-09-	2025-09-10			
Contact Name Title - Contact			act			Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards Product E			uct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Re			- Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Product	Product-Env-Stewards@onsemi.com			
Requester Item Number	uester Item Number Mfr Item Num		Number Mfr Item Name			Effective Date	Version	М	lanufacturing Site	1	Weight*	UOM	Unit Type	
	NCP811	NCP81155MNTXG MOSFET		SFET Driver		2025-09-10		T	TH6		29.52	mg	Each	
Ianufacturing Proccess Info	rmation													
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MS	TD-020 MSL Rating Peak I			ak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles			
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30	secon	ds 3			
omments														
vel 1 - maximum time at peak temj	perature during so	dering is 10-3	0 seconds											
or more information regarding ma	terial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.3	mg	Supplier	Silicon (Si)	7440-21-3		0.3	mg	
Die Attach	0.79	mg	Supplier	Silver (Ag)	7440-22-4		0.5925	mg	
			Supplier	Epoxy resins	129915-35-1		0.1975	mg	
Lead Frame	12.41	mg	Supplier	Silver (Ag)	7440-22-4		2.4448	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0124	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1861	mg	
			Supplier	Copper (Cu)	7440-50-8		9.7667	mg	
Mold Compound-Black	15.0	mg		Epoxy resin	proprietary data		1.05	mg	
			Supplier	Phenolic Resin	Proprietary Data		1.05	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.25	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.075	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		10.575	mg	
Plating	0.6	mg	Supplier	Tin (Sn)	7440-31-5		0.6	mg	
Wire Bond - Cu	0.42	mg	Supplier	Copper (Cu)	7440-50-8		0.42	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3