ABSOLATION CONNECTING ALECTRONICS INDUSTRIES® International and Pa	DOSITION DE IPC, Bannock n-American c	eclaration burn, Illinois. A copyright conve	all rights reserved untions.	under both						thin the manufacter the the manufacter the						
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					terials and M	ials and Mfg Information				
upplier Information																
Company name*	Company un	Company unique ID			Unique ID Authority					Respon	Response Date*					
nsemi									2025-06	2025-06-08						
ontact Name	Title - Contact]	Phone - Contact*					Email -	Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com					
uthorized Representative*	Title - Repre	Title - Representative			Phone - Representative*					Email -	Email - Representative*					
Product-Env-Stewards		Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Iter	Mfr Item Number Mfr Item Name NCV4296- 2CSN33T1G 3.3V/30mA LDO		Mfr Item Name 3.3V/30mA LDO w INH		Effective Da	vate Version		Ma	Manufacturing Site		Weight	* UC	OM	Unit Type	
						2025-06-08				MY1		14.15		,	Each	
Ianufacturing Proccess Informa	ition						·				ŀ		·			
Terminal Plating / Grid Array M	aterial	Terminal Base	Alloy	J-STD-020 MSI		Peak Process		ss Body Temperature Max Time at Pea		eak Tempera	Temperature Numbe		eflow Cyc	les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260	С			30		ids 3				
omments																
vel 1 - maximum time at peak temperat	ure during s	oldering is 10-3	0 seconds													
or more information regarding material	compositior	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.87	mg	Supplier	Silicon (Si)	7440-21-3		0.87	mg
Die Attach	0.11	mg		Epoxy resin	proprietary data		0.033	mg
			Supplier	Fatty acids, C18-unsatd., dimers, polymers with epichlorhydrin	68475-94-5		0.033	mg
			Supplier	2,2'-[[2-(oxiranylmethoxy)-1,3- phenylene]bis(methylene)]bisoxirane	13561-08-5		0.033	mg
			Supplier	4-Methyl-2-Phenyl-1H-Imidazole	827-43-0		0.0099	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0011	mg
Lead Frame	5.72	mg	Supplier	Zinc (Zn)	7440-66-6		0.0057	mg
			Supplier	Iron (Fe)	7439-89-6		0.1316	mg
			Supplier	Copper (Cu)	7440-50-8		5.577	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0057	mg
Mold Compound-Black	7.34	mg		Epoxy resin	proprietary data		0.5505	mg
			Supplier	Phenolic Resin	Proprietary Data		0.1835	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.5505	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0367	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		6.0188	mg
Plating	0.07	mg	Supplier	Palladium (Pd)	7440-05-3		0.0017	mg
			В	Nickel (Ni)	7440-02-0		0.0616	mg
			Supplier	Gold (Au)	7440-57-5		0.0067	mg
Wire Bond - Au	0.04	mg	Supplier	Gold (Au)	7440-57-5		0.04	mg