© (Aterial Composit Copyright 2005. IPC, 1 ernational and Pan-An	Bannockb	urn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declarat he declaration e	ion of the s encompasse	ubstances s all lower	within the manufactur level materials for w	rer listed i hich the n	tem. Note: i nanufacturer	f the item is an as r has engineering	ssembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia 					als and Mfg Information				
Supplier Informatio	n													
Company name*			Company unique ID				Unique ID Authority				Response Date*			
onsemi											2025-05-13			
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Item		Mfr Item	n Number Mfr Item Name				Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type
		NCV7520FPR2G A		Automotive Driver			2025-05-13		Р	PH1		81.7	mg	Each
Manufacturing Proc	ccess Information	1												
Terminal Plating / Grid Array Material Terminal Base			erminal Base A	Alloy J	-STD-020 MSI	L Rating	Peak Proc	ess Body T	emperatur	e Max Time at Peak	Tempera	ure Numb	per of Reflow Cyc	cles
Matte Tin (Sn) - annealed CU Alloy			3			260		С	30	secor	ds 3			
omments														
TTENTION: MSL 3 Ra	ated item requires Ba	ke and D	ry Pack (after	electrical test)										
or more information reg	garding material com	position p	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	ctive 2011/65/EU (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

select a RoHS exemption, if applied	cable [E] enter the weigh	, Requester or Supplier) [B at of the substance or the P	[] select the substa PM concentration	ance category (JIG or Requester) or enter [F] Optionally enter the positive (+) and	a value (Supplier). [C] selec negative (-) tolerance in per	t the substance (JI cent (Note: percer	G) or enter the substa t tolerance values are	nce and CAS (Other). [D] expected to cover a 3
sigma range of distribution unless Homogeneous Material	otherwise noted).	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	7.0		Supplier	Silicon (Si)	7440-21-3	Exempt		
Die Attach	0.3	mg mg	Supplier	Epoxy resin	proprietary data		0.033	mg mg
			Supplier	Copper(II) Oxide (CuO)	1317-38-0		0.003	mg
			Supplier	Silver (Ag)	7440-22-4		0.24	mg
			Supplier	Oxirane	39817-09-9		0.024	mg
Lead Frame	31.8	mg	Supplier	Zinc (Zn)	7440-66-6		0.0382	mg
			Supplier	Iron (Fe)	7439-89-6		0.7473	mg
			Supplier	Copper (Cu)	7440-50-8		31.005	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0095	mg
Lead Frame plating	0.3	mg	Supplier	Silver (Ag)	7440-22-4		0.3	mg
Mold Compound-Black	38.2	mg		Epoxy resin	proprietary data		2.865	mg
			Supplier	Phenolic Resin	Proprietary Data		0.955	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.865	mg
			Supplier	Carbon Black (C)	1333-86-4		0.191	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		31.324	mg
Plating	3.8	mg	Supplier	Tin (Sn)	7440-31-5		3.8	mg
Wire Bond - Au	0.3	mg	Supplier	Gold (Au)	7440-57-5		0.3	mg