	CONNECTING S INDUSTRIES® international and Par	osition Dee PC, Bannockt	c laration ourn, Illinois. A opyright conver	ll rights reserved untions.	under both	This docume level parts, th	ent is a declarati he declaration e	on of the substa ncompasses all	ances within the lower level mate	manufacturer rials for whic	listed item. N ch the manufa	Note: if the acturer has	e item is an ass s engineering i	sembly with lowe responsibility.	
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				ous Materials	als and Mfg Information				
Supplier	Information														
Company name* Co				Company unique ID			Unique ID Authority				Response Date*				
onsemi											2024-05-10				
Contact Na	ame	Title - Contact]	Phone - Contact*				Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized	l Representative*	Title - Representative]	Phone - Representative*				Email - Representative*					
Product-E	Cnv-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
			n Number Mfr Item Name				Effective Date	Version	Version Manufacturing Site		Weigh	nt*	UOM	Unit Type	
			IGBT 1200V 40A	OV 40A FS3 Low VF		2024-05-10 CN5		CN5	.N5		24	mg	Each		
/lanufac	cturing Proccess Informa	tion		·											
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020		J-STD-020 MSI	L Rating	Peak Process Body Temperatur		erature Max Ti	ne at Peak Te	emperature	Number o	of Reflow Cyc	les	
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C 30		30		seconds	3				
omments															
or more i	nformation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	89.77	mg	Supplier	Silicon (Si)	7440-21-3		89.77	mg
Die Attach	281.28	mg	Supplier	Silver (Ag)	7440-22-4		70.32	mg
			Supplier	Tin (Sn)	7440-31-5		182.832	mg
			В	Antimony (Sb)	7440-36-0		28.128	mg
Lead Frame	4406.78	mg	Supplier	Silver (Ag)	7440-22-4		17.6271	mg
			Supplier	Iron (Fe)	7439-89-6		4.4068	mg
			Supplier	Copper (Cu)	7440-50-8		4384.7461	mg
Mold Compound-Black	2040.91	mg		Epoxy resin	proprietary data		142.8637	mg
			Supplier	Phenolic Resin	Proprietary Data		142.8637	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		306.1365	mg
			Supplier	Carbon Black (C)	1333-86-4		10.2045	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1438.8416	mg
Plating	12.83	mg	Supplier	Tin (Sn)	7440-31-5		12.83	mg
Wire Bond - Al	24.67	mg	Supplier	Aluminum (Al)	7429-90-5		24.67	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)