upplier Informationpany name* nsemi ontact Name Product-Env-Steward uthorized Represent	ds	Company uni	ique ID	Form Type * Distribute	Unique		,	Homogeneous Mater	ials and Mfg		on		
ompany name* nsemi ontact Name Product-Env-Steward uthorized Represent	ds	Title - Contac			Unique	e ID Author	rity		Response	Date*			
nsemi ontact Name Product-Env-Steward uthorized Represent	***	Title - Contac			Unique	e ID Author	rity		Response	Date*			
ontact Name Product-Env-Steward uthorized Represent	***		ct						1				
Product-Env-Steward uthorized Represent	***		ct						2025-07-04				
uthorized Represent	***	Product Envi			Phone	Phone - Contact*			Email - Contact*				
•	tative*	1	iro Compliance	ee 1		NA			Product-Env-Stewards@onsemi.com				
Product-Env-Steward	Authorized Representative* Title - Representative			Phone Phone		one - Representative*		Email - Representative*					
	Product-Env-Stewards Product			roduct Enviro Compliance			NA			Product-Env-Stewards@onsemi.com			
Requester I	Requester Item Number Mfr Item		n Number Mfr Item Name		Effec	ctive Date	Version Manufacturing Site		W	eight*	UOM	Unit Type	
	NOIX	NOIX0SE020KB-GTI XGS20MP, 48		8port, Color 10D CRA		2025-07-04 TI		ТНА		18407.2 mg		Each	
Ianufacturing Pr	roccess Information		1								1	,	
Terminal Pla	Terminal Plating / Grid Array Material Te		erminal Base Alloy J-STI		MSL Rating Peak		ss Body Temperatu	re Max Time at Peak	at Peak Temperature		Number of Reflow Cycles		
Precious mo Sn)			CU Alloy NA		0	0	C	30	seconds	3			
omments					·								

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	13879.8	mg	Supplier	Cobalt (Co)	7440-48-4		1.388	mg
			Supplier	Molybdenum (Mo)	7439-98-7		1.388	mg
			Supplier	Tungsten (W)	7440-33-7		166.5576	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		874.4274	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		12297.502	mg
			В	Nickel (Ni)	7440-02-0		38.8634	mg
			Supplier	Gold (Au)	7440-57-5		27.7596	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		471.9132	mg
Die	1011.6	mg	Supplier	Silicon (Si)	7440-21-3		1011.6	mg
Die Attach	147.4	mg	Supplier	Silver (Ag)	7440-22-4		125.29	mg
			Supplier	Epoxy resins	129915-35-1		22.11	mg
Glass Attach Epoxy	83.5	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		7.181	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		5.7615	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		34.736	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.2505	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		33.4	mg
			Supplier	Carbon Black (C)	1333-86-4		2.171	mg
Glass Lid /Cap	3252.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		273.2352	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1934.7655	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		266.7296	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		257.6218	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		520.448	mg
Wire Bond - Au	32.1	mg	Supplier	Gold (Au)	7440-57-5		32.1	mg