| © Copyright 200 | mposition De 05. IPC, Bannock 1 Pan-American c | burn, Illinois. A | .ll rights reserved u ntions. | nder both | This docume level parts, th | ent is a declar he declaratio | ration of | of the substance mpasses all low | s within the er level mat | manufactur erials for w | rer listed it hich the m | em. Note: anufacture | if the item is an as or has engineering | ssembly with low responsibility. | |
|--|---|---------------------------|-----------------------------------|----------------------|--------------------------------|--|-----------|-------------------------------------|------------------------------|---------------------------------|-------------------------------------|-------------------------|--|----------------------------------|--|
| | IPC Web Site for Information on IPC-1752 StandardForm Thttp://www.ipc.org/IPC-175xDistrib | | | | e * | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mate | | | | | rials and Mfg Information | | | | |
| upplier Information | | | | | | | | | | | | | | | |
| ompany name* | Company uni | Company unique ID | | | Unique ID Authority | | | | | Response Date* | | | | | |
| onsemi | | | | | | | | | | | 2025-06-06 | | | | |
| ontact Name | Title - Contac | Title - Contact | | | Phone - Contact* | | | | | Email - Contact* | | | | | |
| Product-Env-Stewards | Product Envi | Product Enviro Compliance | | | NA | | | | | Product-Env-Stewards@onsemi.com | | | | | |
| uthorized Representative* | Title - Repres | Title - Representative | | | Phone - Representative* | | | | Email - Representative* | | | | | | |
| Product-Env-Stewards | | Product Enviro Compliance | | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | | |
| Requester Item Number | Mfr Item Numbe | | Number Mfr Item Name | | | Effective Da | ate V | /ersion | Manufacturing Site | | V | Veight* | UOM | Unit Type | |
| | NOIX1 | SE032KB-GTI | XGS32MP, 24port, Color, 10deg CRA | | g CRA | 2025-06-06 | | THA | | | 18407.2 | | mg | Each | |
| Ianufacturing Proccess Infor | mation | | | | | | | | | | | | ł | | |
| Terminal Plating / Grid Array | y Material | Material Terminal Base | | J-STD-020 MSL Rating | | Peak Process Body Ter | | Body Temperatu | rature Max Time at Peak | | Temperature Number of Reflow Cycles | | cles | | |
| Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) | | CU Alloy NA | | NA | | 0 | | C | 30 | | second | ls 3 | | | |
| omments | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| or more information regarding mate | rial composition | please refer to | page 3 | | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | | Declaration Type * | Detailed | | | | | | |
|--|---|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). | | | | | | | | | | |
| cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the | henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies | RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform | ce of its products with European Union membe | ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of | | | | | | |
| RoHS Declaration * 1 - Item(s) | does not contain RoHS restricted substa | on above | Supplier Acceptance | * Accepted | | | | | | | |
| Exemption: If the declared item does not con applicable exemptions. | ntain RoHS restricted substances per | the definition above | except for defined RoHS exempti | ons, then select the corresponding response i | n the RoHS Declaration above and choose all | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | | | |
| Declaration Signature | | | | | | | | | | | |
| Instructions: Complete all of the required fin Requester) and click on Submit Form to have | elds on all pages of this form. Select the form returned to the Requester | he "Accepted" on th | e Supplier Acceptance drop-down | . This will display the signature area. Digital | lly sign the declaration (if required by the | | | | | | |
| Supplier Digital Signature Ra | stislav Drska | Le | | | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|----------------------|---------|-----------------|----------|--|-------------|--------|-----------|-----------------|
| Ceramic Substrate | 13879.8 | mg | Supplier | Cobalt (Co) | 7440-48-4 | | 1.388 | mg |
| | | | Supplier | Molybdenum (Mo) | 7439-98-7 | | 1.388 | mg |
| | | | Supplier | Tungsten (W) | 7440-33-7 | | 166.5576 | mg |
| | | | Supplier | Silica Amorphous (SiO2) | 7631-86-9 | | 874.4274 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 12297.502 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 38.8634 | mg |
| | | | Supplier | Gold (Au) | 7440-57-5 | | 27.7596 | mg |
| | | | Supplier | Chromium Trioxide (Cr2O3) | 1308-38-9 | | 471.9132 | mg |
| Die | 1011.6 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 1011.6 | mg |
| Die Attach | 147.4 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 125.29 | mg |
| | | | Supplier | Epoxy resins | 129915-35-1 | | 22.11 | mg |
| Glass Attach Epoxy | 83.5 | mg | Supplier | 2,3-epoxypropyl-trimethoxysilan | 2530-83-8 | | 7.181 | mg |
| | | | Supplier | N-[3- (Trimethoxysilyl)propyl]ethylenediamine | 1760-24-3 | | 5.7615 | mg |
| | | | Supplier | Bisphenol A_Epichlorohydrin Polymer | 25068-38-6 | | 34.736 | mg |
| | | | Supplier | 4,4'-Diaminodiphenyl Sulfone (DDS-4,4') | 80-08-0 | | 0.2505 | mg |
| | | | Supplier | Filler (SiO2?C2H6Cl2Si) | 68611-44-9 | | 33.4 | mg |
| | | | Supplier | Carbon Black (C) | 1333-86-4 | | 2.171 | mg |
| Glass Lid /Cap | 3252.8 | mg | Supplier | Boron Trioxide (B2O3) | 1303-86-2 | | 273.2352 | mg |
| | | | Supplier | Silica Amorphous (SiO2) | 7631-86-9 | | 1934.7655 | mg |
| | | | Supplier | Barium Monoxide (BaO) | 1304-28-5 | | 266.7296 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 257.6218 | mg |
| | | | Supplier | Calcium Monoxide (CaO) | 1305-78-8 | | 520.448 | mg |
| Wire Bond - Au | 32.1 | mg | Supplier | Gold (Au) | 7440-57-5 | | 32.1 | mg |