Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM U NOIX1SN020KB-GTI XGS20MP, 24port, Mono 10D CRA 2025-07-03 THA 18407.2 mg Effective Date Version Manufacturing Site Weight* UOM U Annufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) NA O CU Alloy CU Alloy NA O CU Alloy CU Alloy CU Alloy CU Alloy CU	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.							This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
Company name* Company name* Company name* Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product-Enviro Compliance NA Product-Env-Stewards Product-	752-21.1			IPC-1752 Stand	ard	Form Typ Distribute	e *				Homoge	neous Mater	ials and Mf	g Info	ormation		
Contact Name Title - Contact Phone - Contact* Phone - Contact* Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Authorized Representative* Phone - Representative* Phone - Representative* Phone - Representative* Product-Env-Stewards@onsemi.com NA Product-Env-Stewards@onsemi.com	Supplier	r Information															
Title - Contact Phone - Contact* Phone - Contact* Product Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com	Company	name*		Company uni	que ID		1	Unique ID Au	uthority	,			Response Date*				
Product-Env-Stewards Authorized Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi	nsemi												2025-07-0	03			
Authorized Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM U NOIX1SN020KB-GTI XGS20MP, 24port, Mono 10D CRA 2025-07-03 THA 18407.2 mg Effoctive Date Manufacturing Process Information Terminal Plating / Grid Array Material Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) NA Death Terminal Base Alloy NA Death Process Body Temperature Nax Time at Peak Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Number of Reflow Cycles Na Death Process Body Temperature Na Time at Peak Temperature Number of Reflow Cycles Na Death Process Body Temperature Na Time All No Death P	ontact N	Name		Title - Contac	et]	Phone - Contact*					Email - Contact*				
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM U NOIX1SN020KB-GTI XGS20MP, 24port, Mono 10D CRA 2025-07-03 THA 18407.2 mg Effective Date Version Manufacturing Site Weight* UOM U Annufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy NA O C 30 Seconds 3	Product-I	Env-Stewards		Product Envir	ro Compliance		NA						Product-Env-Stewards@onsemi.com				
Requester Item Number	Authorized Representative* Title - Representative						1	Phone - Representative*					Email - Representative*				
NOIX1SN020KB-GTI XGS20MP, 24port, Mono 10D CRA 2025-07-03 THA 18407.2 mg Example 2	Product-Env-Stewards Product				Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Manufacturing Proccess Information Terminal Plating / Grid Array Material Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles NA 0 C 30 seconds 3		Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Da	ite Ve	ersion	Manufact	uring Site	V	Veight	t*	UOM	Unit Type
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) CU Alloy NA 0 C 30 seconds 3			NOIX18	SN020KB-GTI	XGS20MP, 24po	rt, Mono 10D	CRA	2025-07-03		1	ГНА		1	8407.	2	mg	Each
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy NA 0 C 30 seconds 3 Sn)	Ianufa	cturing Proccess Informa	tion														
Sn)		Terminal Plating / Grid Array M	aterial			J-STD-020 M	ΓD-020 MSL Rating		Peak Process Body Temperatur		ure Max Time at Peak Te		Temperatu	re N	Number of	f Reflow Cyc	les
			PdAu) (no	CU Alloy		NA		0		C	30	30	secono	ls 3	3		
omments	Comments	S					·			· ·						·	·

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	13879.8	mg	Supplier	Cobalt (Co)	7440-48-4		1.388	mg
			Supplier	Molybdenum (Mo)	7439-98-7		1.388	mg
			Supplier	Tungsten (W)	7440-33-7		166.5576	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		874.4274	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		12297.502	mg
			В	Nickel (Ni)	7440-02-0		38.8634	mg
			Supplier	Gold (Au)	7440-57-5		27.7596	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		471.9132	mg
Die	1011.6	mg	Supplier	Silicon (Si)	7440-21-3		1011.6	mg
Die Attach	147.4	mg	Supplier	Silver (Ag)	7440-22-4		125.29	mg
			Supplier	Epoxy resins	129915-35-1		22.11	mg
Glass Attach Epoxy	83.5	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		7.181	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		5.7615	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		34.736	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.2505	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		33.4	mg
			Supplier	Carbon Black (C)	1333-86-4		2.171	mg
Glass Lid /Cap	3252.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		273.2352	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1934.7655	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		266.7296	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		257.6218	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		520.448	mg
Wire Bond - Au	32.1	mg	Supplier	Gold (Au)	7440-57-5		32.1	mg