Contact Name Title - Contact Product-Env-Stewards NA Product-Env-Stewards@onsemi.ce Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Manufacturing Proccess Information Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 2025-07-04 Phone - Contact* Email - Contact* Email - Contact* Email - Representative* Demil - Representative*	IPC ASSOCIATION ELECTRONIE	© Copyright 20	omposition De 005. IPC, Bannock nd Pan-American	burn, Illinois, A	all rights reserved untions.	ınder both	This docume level parts, th	ent is a declaration	ation of the	ne substances asses all lowe	within the r level ma	e manufactu terials for v	rer listed ite which the ma	m. Nanufac	ote: if the item is cturer has enginee	an assembly with lering responsibility.	
Company name* Company unique ID Unique ID Authority Response Date* 2025-07-04 Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.ec Requester Item Number Product-Env-Stewards@onsemi.ec Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Effective Date Version Manufacturing Site Weight* UOM Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g., Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Ty					Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mate					neous Mater	ials and Mf	g Info	ormation		
Contact Name Title - Contact Phone - Contact* Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.ce Phone - Representative* Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards@onsemi.ce NA Product-Env-Stewards@onsemi.ce Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM NOIX2SE8000B-LTI XGS8MP, 12port, Color 0D 2025-07-04 TWU 2819.45 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	upplie	r Information															
Contact Name Title - Contact Product Env-Stewards Authorized Representative* Title - Representative Product Enviro Compliance Authorized Representative* Title - Representative Product Enviro Compliance NA Product Env-Stewards@onsemi.cc Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 Phone - Contact* Phone - Contact* Product * Product-Env-Stewards@onsemi.cc NA Product-Env-Stewards@onsemi.cc N	Company name* Company				pany unique ID U			Unique ID Authority					Response Date*				
Product-Env-Stewards Authorized Representative* Authorized Representative* Product-Env-Stewards Product-Env-Stewar	nsemi												2025-07-04				
Authorized Representative* Product-Env-Stewards Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM NOIX2SE8000B-LTI XGS8MP, 12port, Color 0D 2025-07-04 TWU 2819.45 mg Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 Phone - Representative* NA Product-Env-Stewards@onsemi.c. Weight* UOM 2025-07-04 TWU 2819.45 mg Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Contact N	Name		Title - Contac	Contact 1			Phone - Contact*					Email - Contact*				
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM	Product-	Env-Stewards		Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com				
Requester Item Number	Authorized Representative* Title				Γitle - Representative			Phone - Representative*				Email - Representative*					
Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3		Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Da	te Vers	ion	Manufactu	iring Site	W	eight	t* UOM	Unit Typ	
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3			NOIX2	SE8000B-LTI	XGS8MP, 12port	t, Color 0D		2025-07-04			ΓWU		28	319.4	5 mg	Each	
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Alloy 4 245 C 30 seconds 3	Ianufa	ncturing Process Info	rmation		1											1	
		Terminal Plating / Grid Arra	Terminal Plating / Grid Array Material		Terminal Base Alloy J		STD-020 MSL Rating		Peak Process Body Temperatur		are Max Time at Peak Tempe		x Temperatu	re N	Number of Reflow Cycles		
(51)		Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 4					С	30		seconds		3		
Comments	omments	s					·										

RoHS Material Composition Declaration			Declaration Type *	Detail	led
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybrominated Biphenyls (Pl	aterial for Cadmium and quantity limit of 0.1% by BB), Polybrominated Diphenyl Ethers (PBDE), an		
cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the company that the company tha	ws of the European Union member states) of the pnce") in excess of the applicable quantity limit ide in you believe may apply. If the part is an assembly is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation.	entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl	n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not e at least as comprehensive as the hts and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per	the definition above except for defined Ro	oHS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	1947.74	mg	Supplier	Cobalt (Co)	7440-48-4		0.1948	mg
			Supplier	Molybdenum (Mo)	7439-98-7		0.1948	mg
			Supplier	Tungsten (W)	7440-33-7		23.3729	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		122.7076	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		1725.6976	mg
			В	Nickel (Ni)	7440-02-0		5.4537	mg
			Supplier	Gold (Au)	7440-57-5		3.8955	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		66.2232	mg
Die	198.5	mg	Supplier	Silicon (Si)	7440-21-3		198.5	mg
Die Attach	20.25	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		1.0125	mg
			Supplier	Formaldehyde Polymer	9003-36-5		7.0875	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		12.15	mg
Glass Attach Epoxy	9.99	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.8591	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.6893	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		4.1558	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.03	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		3.996	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2597	mg
Glass Lid /Cap	642.73	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		53.9893	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		382.2958	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		52.7039	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		50.9042	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		102.8368	mg
Wire Bond - Al	0.24	mg	Supplier	Aluminum (Al)	7429-90-5		0.24	mg