ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES INTERNATION CONNECTING International and Pan-	C, Bannockt	ourn, Illinois. A	Il rights reserved untions.	under both Ievel	documen parts, the	nt is a declarati e declaration e	on of the su	ubstances s all lowe	within the manufacture revel materials for w	rer listed i which the r	tem. Note: nanufactur	if the item is an a er has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distri				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 				als and Mfg Information					
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
nsemi											2024-05-19			
tact Name Title - Contact			ct		Phone - Contact*				Email -	Email - Contact*				
oduct-Env-Stewards Product Envir			nviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative			sentative	Pho			hone - Representative*			Email -	Email - Representative*			
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		Number Mfr Item Name		I	Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type	
	NRVTS GA01			f Trench Rectifier in SMB		2024-05-19		(CNP		103.8	mg	Each	
Aanufacturing Proccess Informati	on													
Terminal Plating / Grid Array Mat	Array Material Terminal Base Allo		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperat		emperatu	ure Max Time at Peak Tem		Femperature Number of Reflow Cycles		cles	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	secor	nds 3				
omments														
vel 1 - maximum time at peak temperatur	e during sol	Idering is 10-3	0 seconds											
or more information regarding material c	omposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	12.0	mg	Supplier	Iron (Fe)	7439-89-6		0.012	mg
			Supplier	Copper (Cu)	7440-50-8		11.9844	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0036	mg
Die	1.64	mg	Supplier	Silicon (Si)	7440-21-3		1.64	mg
Die Attach Solder	1.52	mg	Supplier	Silver (Ag)	7440-22-4		0.038	mg
			А	Lead (Pb)	7439-92-1	7a	1.406	mg
			Supplier	Tin (Sn)	7440-31-5		0.076	mg
Lead Frame	33.6	mg	Supplier	Iron (Fe)	7439-89-6		0.0336	mg
			Supplier	Copper (Cu)	7440-50-8		33.5563	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0101	mg
Mold Compound-Black	53.15	mg	Supplier	Polycondensate of 4,4'- bis(methoxymethyl)biphenyl and phenol	205830-20-2		1.3288	mg
			Supplier	Triphenylphosphine	603-35-0		0.2657	mg
			Supplier	Trimethoxysilylpropanethiol	4420-74-0		0.2657	mg
			Supplier	4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'- tetramethylbiphenyl	85954-11-6		0.2657	mg
			Supplier	Carbon Black (C)	1333-86-4		0.5315	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		47.835	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.6575	mg
Plating	1.89	mg	Supplier	Tin (Sn)	7440-31-5		1.89	mg