© Copyright 2005. IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	IDC Web Site for Information on IDC 1752 Standard Form				 * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials 					terials and	s and Mfg Information			
Supplier Information														
Company name* Comp			ompany unique ID			Unique ID Authority					Response Date*			
onsemi										2025-0	2025-06-03			
Contact Name	act Name Title - Contact				Р	Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Envir			viro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repres			esentative I			Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance			I	NA				Prod	Product-Env-Stewards@onsemi.com				
Requester Item Number	er Mfr Item Number		Iumber Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	· 1	UOM	Unit Type
	NTMFW 1G			h MOSFET SO8FL H	HE WF	/F 2025-06-03		MY1		108.91	1	mg	Each	
Manufacturing Proccess Informatio	n													
Terminal Plating / Grid Array Mater	ial Terminal Base Alloy J-			J-STD-020 MSL Rati	ng	Peak Proc	Process Body Temperature Max Time at Peak		eak Temper	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	sec	onds 3				
Comments														
level 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds											
For more information regarding material co	nposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (Pl		dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et						
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).					-		-
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	4.8	mg	Supplier	Iron (Fe)	7439-89-6		0.0048	mg
			Supplier	Copper (Cu)	7440-50-8		4.7938	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0014	mg
Die	2.66	mg	Supplier	Silicon (Si)	7440-21-3		2.66	mg
Die Attach Solder	4.95	mg	Supplier	Silver (Ag)	7440-22-4		0.1237	mg
			А	Lead (Pb)	7439-92-1	7a	4.5787	mg
			Supplier	Tin (Sn)	7440-31-5		0.2475	mg
Lead Frame	47.6	mg	Supplier	Silver (Ag)	7440-22-4		0.0286	mg
			Supplier	Iron (Fe)	7439-89-6		0.0476	mg
			Supplier	Copper (Cu)	7440-50-8		47.5096	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0143	mg
Mold Compound-Black	47.15	mg	Supplier	Epoxy resins	129915-35-1		4.715	mg
			Supplier	Phenolic Resin	Proprietary Data		1.6503	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		4.715	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2358	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		35.834	mg
Plating	1.7	mg	Supplier	Tin (Sn)	7440-31-5		1.7	mg
Wire Bond - Cu	0.05	mg	Supplier	Copper (Cu)	7440-50-8		0.05	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).