ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® MALECTRONICS INDUSTRIES®	ockburn, Illinois, A	Il rights reserved untions.	inder both	This docume level parts, t	ent is a declarat he declaration of	ion of the su encompasse	ubstances s all lowe	within the manufact r level materials for	urer listed which the	item. Note: manufactur	if the item is an as er has engineering	ssembly with lower responsibility.	
	21.1 IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribution			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials					s and Mfg Information			
Supplier Information													
Company name* Company unique ID				Unique ID Authority					Respo	Response Date*			
nsemi									2025-0	2025-06-08			
Contact Name	Title - Contact]	Phone - Contact*				Email	Email - Contact*			
roduct-Env-Stewards Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Compliance			e NA			NA			Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr	Mfr Item Number		Mfr Item Name		Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
NTI	1170NT1G NFET SOT23 30V 4		V 4A 55MO TR		2025-06-08 CN1		ZN1		8.13	mg	Each		
Manufacturing Proccess Information					·								
Terminal Plating / Grid Array Material	Terminal Base Alloy J-S		J-STD-020 MSL	Rating	Peak Process Body Temperat		emperatu	ure Max Time at Peak Tempera		ature Num	nber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy		1		260		С	30	seco	onds 3				
Comments													
evel 1 - maximum time at peak temperature durin	g soldering is 10-3	0 seconds											
or more information regarding material composi	ion please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a that agreement, will be the sole and exclusives	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat anditions of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DBP). Intervention of the part identified on this form contains lead, mercury, a polybrominated biphenyl ethers (each at "RoHS restricted substance") in excess of the applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall s. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such that with European Union member state laws what minimum, itsuppliers have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not tion provided by others, supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications and least as comprehensive as the form comparise methods to ensure its accuracy and that supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier are exceeded by others, supplier agrees that, at a minimum, itsuppliers have regarding their contributions to the part, and those certifications are at least as comprehensive as the form contains of the supplier's liability and the Company's remedies for issues that arise regarding information of Supplier agrees in the absence of such write agreement, the soft and exclusivesource of the Supplier's Islandard terms and Conditions of such applicable to such part shall apply. of Supplier's Standard Terms and Conditions of such applicable to such part shall apply. I - Item(s) does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, the										
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.16	mg	Supplier	Silicon (Si)	7440-21-3		0.16	mg	
Lead Frame	2.92	mg	Supplier	Silver (Ag)	7440-22-4		0.5198	mg	
			В	Nickel (Ni)	7440-02-0		0.9023	mg	
			Supplier	Iron (Fe)	7439-89-6		1.2468	mg	
			Supplier	Copper (Cu)	7440-50-8		0.2511	mg	
Mold Compound-Black	4.9	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.147	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0245	mg	
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.147	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.92	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.049	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.392	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2205	mg	
Plating	0.14	mg	Supplier	Tin (Sn)	7440-31-5		0.14	mg	
Wire Bond - Cu	0.01	mg	Supplier	Copper (Cu)	7440-50-8		0.01	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).