<b>PC</b> SECUTION CONVECTING COPYRIGH 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
IPC Web Site for Int	IPC Web Site for Information on IPC 1752 Standard Form				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					rials and N	als and Mfg Information			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi										2024-0	2024-05-12			
Contact Name Title - Contact			í .			Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title			itle - Representative			Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Version	Ν	Manufacturing Site		Weight*	UOM	Unit Type	
	NVLJW AG	JWS5D0N03CLT T6 30V LL 2x2 WD		WDFNW6		2024-05-12		MY1			13.571	mg	Each	
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array Ma	aterial	Ferminal Base A	J-STD-020 MSI	L Rating	Peak Process Body Tempera		emperatur	ture Max Time at Peak Temp		ature Nun	ber of Reflow Cy	cles		
Matte Tin (Sn) - annealed CU Alloy		CU Alloy	1			<b>260</b> C		С	30 secon		seconds 3			
Comments														
level 1 - maximum time at peak temperati	ire during so	Idering is 10-3	0 seconds											
For more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (Pl		dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et	
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).		
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the
Supplier Digital Signature	astislav Drska	Le			

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	1.987	mg	Supplier	Zinc (Zn)	7440-66-6		0.0024	mg
			Supplier	Iron (Fe)	7439-89-6		0.0467	mg
			Supplier	Copper (Cu)	7440-50-8		1.9373	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0006	mg
Die	0.257	mg	Supplier	Silicon (Si)	7440-21-3		0.257	mg
Die Attach Solder	0.595	mg	Supplier	Silver (Ag)	7440-22-4		0.0149	mg
			А	Lead (Pb)	7439-92-1	7a	0.5504	mg
			Supplier	Tin (Sn)	7440-31-5		0.0298	mg
Lead Frame	5.956	mg	Supplier	Silver (Ag)	7440-22-4		0.3264	mg
			Supplier	Tin (Sn)	7440-31-5		0.0149	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0143	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0155	mg
			Supplier	Copper (Cu)	7440-50-8		5.5849	mg
Mold Compound-Black	4.171	mg	Supplier	Silica Amorphous (SiO2)	7631-86-9		0.3128	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0209	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.3159	mg
			Supplier	EpoxyNovolaCresins (Cresolic)	64425-89-4		0.2086	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.3128	mg
Plating	0.6	mg	Supplier	Tin (Sn)	7440-31-5		0.6	mg
Wire Bond	0.005	mg	Supplier	Palladium (Pd)	7440-05-3		0	mg
			Supplier	Copper (Cu)	7440-50-8		0.0049	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).