	CONNECTING CS INDUSTRIES OF CONTRICT OF CO	PC, Bannockb	ourn, Illinois. A	ll rights reserved u tions.	nder both	This docume level parts, t	ent is a declarat he declaration	tion of the tion of tion of the tion of ti	he substances asses all lowe	within the reaction of the second sec	manufacture erials for wh	er listed ite hich the ma	em. Note: if anufacturer	the item is an as has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ous Materia	als and Mfg Information					
Supplie	r Information															
Company name* Company unique ID				que ID	Unique			inique ID Authority					Response Date*			
onsemi												2025-07-09				
Contact N	Jame		Title - Contact				Phone - Contact*					Email - Contact*				
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
uthorize	ed Representative*		Title - Representative				Phone - Representative*				Email - Representative*					
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
	Requester Item Number Mfr Item NXH25C		n Number Mfr Item Name				Effective Date	Version Manufacturing Site		V	/eight*	UOM	Unit Type			
			C120L2C2SG	0L2C2SG TMPIM 1200V 25A CIB			2025-07-09			MY1		7	4542.22	mg	Each	
/Ianufa	ecturing Proccess Informa	tion						-								
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 N		-STD-020 MSI	L Rating	Peak Process Body Temperat		ure Max Time at Peak Tempe		Temperatu	re Numbe	er of Reflow Cy	cles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		second	s 3					
omments	S															
or more	information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	S RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	13516.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		5676.7197	mg
			Supplier	Copper (Cu)	7440-50-8		7839.2798	mg
Die	201.52	mg	Supplier	Silicon (Si)	7440-21-3		201.52	mg
Die Attach Solder	750.0	mg	Supplier	Silver (Ag)	7440-22-4		18.75	mg
			Supplier	Tin (Sn)	7440-31-5		727.5	mg
			Supplier	Copper (Cu)	7440-50-8		3.75	mg
Lead Frame	6950.0	mg	Supplier	Tin (Sn)	7440-31-5		0.695	mg
			В	Nickel (Ni)	7440-02-0		0.695	mg
			Supplier	Copper (Cu)	7440-50-8		6947.2197	mg
			Supplier	Phosphorus (P)	7723-14-0		1.39	mg
Mold Compound-Black	52800.0	mg		Metal Hydroxide	proprietary data		1320	mg
-			Supplier	Carbon Black (C)	1333-86-4		264	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		44880	mg
			Supplier	EpoxyNovolaCresins (Cresolic)	64425-89-4		3696	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2640	mg
Thermistor	38.5	mg	Supplier	Tin (Sn)	7440-31-5		0.4813	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		0.0578	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0616	mg
			В	Nickel (Ni)	7440-02-0		8.9897	mg
			Supplier	Gold (Au)	7440-57-5		0.0077	mg
			Supplier	Iron (Fe)	7439-89-6		9.625	mg
			А	Lead Oxide (PbO)	1317-36-8		8.8242	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.0578	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		0.0578	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		0.7469	mg
			Supplier	Copper (Cu)	7440-50-8		4.2543	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		5.3361	mg
Wire Bond - Al	286.2	mg	Supplier	Silicon (Si)	7440-21-3		2.862	mg
			В	Nickel (Ni)	7440-02-0		14.31	mg
			Supplier	Aluminum (Al)	7429-90-5		269.028	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)