IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and Mfg Information			
upplier	r Information													
Company name* Company uni				rique ID			Unique ID Authority				Response Date*			
nsemi											2024-05-19			
ontact N	ame	Title - Contac	Title - Contact			Phone - Contact*			Ema	Email - Contact*				
?roduct-H	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			F	Phone - Representative*			Ema	Email - Representative*				
Product-Env-Stewards Pro				Product Enviro Compliance			NA			Proc	Product-Env-Stewards@onsemi.com			
	Requester Item Number		Mfr Item Number Mfr Item Nam		e		Effective Date	Version	Manufacturing	anufacturing Site		UOM	Unit Type	
		NXH35C120L2C2SG TMPIM 1200V		TMPIM 1200V 35	5A CIB 2024-05		2024-05-19		VN2		74585.18	mg	Each	
lanufa	cturing Process Informa		Farminal Daga	Aller	-STD-020 MS	I. Dotino	Dools Duo oo	a Dody Tommoro	May Time	at Dook Town	onotivno Niverska	on of Doflow Cv	olog	
	8 - 1 - 1		Terminal Base Alloy J-STD-020 M CU Alloy NA			L Kating	Peak Process Body Temperature Max Time at P			ak Temperature Number of Reflow Cycles seconds 3				
	` ′		CU Andy		(A					se	conus 3			
omments	i													
	information regarding materia	• • • • • • • • • • • • • • • • • • • •												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	13516.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		5676.7197	mg
			Supplier	Copper (Cu)	7440-50-8		7839.2798	mg
Die	244.48	mg	Supplier	Silicon (Si)	7440-21-3		244.48	mg
Die Attach Solder	750.0	mg	Supplier	Silver (Ag)	7440-22-4		18.75	mg
			Supplier	Tin (Sn)	7440-31-5		727.5	mg
			Supplier	Copper (Cu)	7440-50-8		3.75	mg
Lead Frame	6950.0	mg	Supplier	Tin (Sn)	7440-31-5		0.695	mg
			В	Nickel (Ni)	7440-02-0		0.695	mg
			Supplier	Copper (Cu)	7440-50-8		6947.2197	mg
			Supplier	Phosphorus (P)	7723-14-0		1.39	mg
Mold Compound-Black	52800.0	mg		Metal Hydroxide	proprietary data		1320	mg
			Supplier	Carbon Black (C)	1333-86-4		264	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		44880	mg
			Supplier	EpoxyNovolaCresins (Cresolic)	64425-89-4		3696	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2640	mg
Thermistor	38.5	mg	Supplier	Tin (Sn)	7440-31-5		0.4813	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		0.0578	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0616	mg
			В	Nickel (Ni)	7440-02-0		8.9897	mg
			Supplier	Gold (Au)	7440-57-5		0.0077	mg
			Supplier	Iron (Fe)	7439-89-6		9.625	mg
			A	Lead Oxide (PbO)	1317-36-8		8.8242	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.0578	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		0.0578	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		0.7469	mg
			Supplier	Copper (Cu)	7440-50-8		4.2543	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		5.3361	mg
Wire Bond - Al	286.2	mg	Supplier	Silicon (Si)	7440-21-3		2.862	mg
			В	Nickel (Ni)	7440-02-0		14.31	mg
			Supplier	Aluminum (Al)	7429-90-5		269.028	mg