	CONNECTING CONNECTING CS INDUSTRIES international and Par	PC, Bannockt	ourn, Illinois. A	ll rights reserved untions.	inder both	This docume level parts, t	ent is a declara he declara	ation o encor	of the substances mpasses all low	s within the er level mate	manufactur erials for wl	er listed ite nich the ma	em. Note: i inufacturer	f the item is an as r has engineering	sembly with low responsibility.
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	als and Mfg Information				
upplie	r Information														
Company name* Company unique				que ID Unic			Unique ID Authority					Response Date*			
onsemi												2025-06-04			
Contact N	lame	Title - Contact			]	Phone - Contact*					Email - Contact*				
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*	Title - Representative			]	Phone - Representative*				Email - Representative*					
roduct-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Dat	te V	resion	Manufacturing Site		W	veight*	UOM	Unit Type
	NXH80T120L3Q0S3G PIM Generation3 Q TNPC (Solder Pin)			Q0Pack 1200V n)	7, 80A	2025-06-04	4 CNG			2	3370.0	mg	Each		
Ianufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-		J-STD-020 MSI	L Rating	Peak Pro		ocess Body Temperature Max Time at Peak		me at Peak	Temperatu	re Numb	per of Reflow Cyc	eles
Matte Tin (Sn) - annealed		CU Alloy NA			0 C		<b>30</b> sec		second	s 3					
omments	8														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	ending RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Case	10300.0	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		3090.0002	mg
			Supplier	Poly(ButyleneTerephthalate)	30965-26-5		2884	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		360.5	mg
			Supplier	PBT	26062-94-2		2884	mg
			-	Carbonic Dichloride	94334-64-2		1081.5	mg
OBC	6000.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		2502	mg
			В	Nickel (Ni)	7440-02-0		12	mg
			Supplier	Copper (Cu)	7440-50-8		3485.9998	mg
Die	110.0	mg	Supplier	Silicon (Si)	7440-21-3		110	mg
Die Attach	500.0	mg	Supplier	Silver (Ag)	7440-22-4		30	mg
			Supplier	Tin (Sn)	7440-31-5		470	mg
Glue	150.0	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		15	mg
			Supplier	Miscellaneous	Trade Secret		15	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		120	mg
NTC	10.0	mg	Supplier	Silver (Ag)	7440-22-4		0.0979	mg
			Supplier	Tin (Sn)	7440-31-5		0.02	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		3.9169	mg
			Supplier	Palladium (Pd)	7440-05-3		0.0999	mg
			В	Nickel (Ni)	7440-02-0		0.01	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.3997	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		5.4556	mg
Pressfit Terminal	2100.0	mg	В	Nickel (Ni)	7440-02-0		2.1	mg
			Supplier	Copper (Cu)	7440-50-8		2097.8999	mg
Protection coat	2810.0	mg	Supplier	Toulene	108-88-3		1.405	mg
		-	Supplier	Dimethyl Siloxane	68083-19-2		2808.595	mg
Wire Bond - Al	1390.0	mg	Supplier	Aluminum (Al)	7429-90-5		1390	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).