ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	<b>Iaterial Composit</b> Copyright 2005. IPC, E ternational and Pan-Am	ion Dec Bannockbu erican cop	<b>laration</b> urn, Illinois. A pyright conver	ll rights reserved utions.	under both	This docume level parts, t	ent is a declara	ation o 1 encor	of the substances mpasses all lowe	s within the er level ma	manufacture terials for wh	er listed it hich the m	em. Note: i anufacture	f the item is an as r has engineering	sembly with lowe responsibility.	
	IPC Web Site for Information on IPC-1752 Standard For				Form Type Distribute						eous Materia	ials and Mfg Information				
Supplier Informatio	n															
Company name*			Company unique ID				Unique ID Authority					Response Date*				
onsemi												2024-05-17				
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Iter	m Number	Mfr Item	m Number Mfr Item Name		•		Effective Dat	te V	ersion	Manufacturing Site		١	Weight*	UOM	Unit Type	
		NXH80T120L3Q0S3T PIM Generation G TNPC (Solder P		PIM Generation3 TNPC (Solder Pit	Q0Pack 1200V n, TIM)	, 80A	2024-05-17 CNG				2	24200.0	mg	Each		
Manufacturing Pro	ccess Information															
Terminal Platir	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STI		J-STD-020 MSI	L Rating	Peak Pro	ocess Body Temperature Max Time at Peak		ime at Peak '	Temperat	ure Numb	per of Reflow Cyc	les		
Matte Tin (Sn) - annealed		C	CU Alloy NA		NA		0		С	30		secon	ds 3			
omments																
or more information re	garding material com	position p	olease refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Case	10300.0	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		3090.0002	mg
			Supplier	Poly(ButyleneTerephthalate)	30965-26-5		2884	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		360.5	mg
			Supplier	PBT	26062-94-2		2884	mg
			-	Carbonic Dichloride	94334-64-2		1081.5	mg
DBC	6000.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		2502	mg
			В	Nickel (Ni)	7440-02-0		12	mg
			Supplier	Copper (Cu)	7440-50-8		3485.9998	mg
Die	110.0	mg	Supplier	Silicon (Si)	7440-21-3		110	mg
Die Attach	500.0	mg	Supplier	Silver (Ag)	7440-22-4		30	mg
			Supplier	Tin (Sn)	7440-31-5		470	mg
Glue	150.0	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		15	mg
			Supplier	Miscellaneous	Trade Secret		15	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		120	mg
Interconnect	830.0	mg	Supplier	Zinc Monoxide (ZnO)	1314-13-2		83	mg
			Supplier	Silicon (Si)	7440-21-3		249	mg
			Supplier	Aluminum (Al)	7429-90-5		498	mg
NTC	10.0	mg	Supplier	Silver (Ag)	7440-22-4		0.0979	mg
			Supplier	Tin (Sn)	7440-31-5		0.02	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		3.9169	mg
			Supplier	Palladium (Pd)	7440-05-3		0.0999	mg
			В	Nickel (Ni)	7440-02-0		0.01	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.3997	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		5.4556	mg
Pressfit Terminal	2100.0	mg	В	Nickel (Ni)	7440-02-0		2.1	mg
			Supplier	Copper (Cu)	7440-50-8		2097.8999	mg
Protection coat	2810.0	mg	Supplier	Toulene	108-88-3		1.405	mg
			Supplier	Dimethyl Siloxane	68083-19-2		2808.595	mg
Wire Bond - Al	1390.0	mg	Supplier	Aluminum (Al)	7429-90-5		1390	mg