ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pan-An	Bannockbu	rn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declara	tion of the encompass	substances es all lowe	within the er level mat	manufacture terials for wh	er listed ite nich the ma	m. Note: nufacture	if the item is an as er has engineering	sembly with lower responsibility.
				Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information			
Supplier Information														
Company name* Company unique ID			ique ID	Unique ID Au			Authority				Response Date*			
onsemi											2025-06-06			
Contact Name	tact Name Title - Contact					Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Enviro Com			Compliance		NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			sentative	Itative F		Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product Enviro			ro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	tem Number Mfr Item Number		Number Mfr Item Name			Effective Da	e Versior	ı	Manufacturing Site		W	eight*	UOM	Unit Type
	SBR80520	BR80520LT1G REC SOD123 SP		ECIAL SKTKY	_ SKTKY 2025-				CN1		11	.67	mg	Each
Manufacturing Proccess Information	l													
Terminal Plating / Grid Array Materia	al Terminal Base Alloy J-			J-STD-020 MSI	L Rating	Peak Process Body Temperature Max Time a			ime at Peak '	ak Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30		second	3			
omments														
vel 1 - maximum time at peak temperature d	luring sold	lering is 10-3	0 seconds											
or more information regarding material com	position p	lease refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.88	mg	Supplier	Silicon (Si)	7440-21-3		0.88	mg		
Lead Frame	3.19	mg	В	Nickel (Ni)	7440-02-0		1.158	mg		
			Supplier	Iron (Fe)	7439-89-6		1.6014	mg		
			Supplier	Copper (Cu)	7440-50-8		0.4306	mg		
Mold Compound-Black	6.51	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.1953	mg		
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0325	mg		
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.1953	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		5.208	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0651	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.5208	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2929	mg		
Plating	0.8	mg	Supplier	Tin (Sn)	7440-31-5		0.8	mg		
Wire Bond	0.29	mg	Supplier	Palladium (Pd)	7440-05-3		0.0038	mg		
			Supplier	Copper (Cu)	7440-50-8		0.2862	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).