ASEDCIATION CONNECTING ALECTRONICS INDUSTRIES OF COPYRIGH 2 international as	omposition Dec 005. IPC, Bannockt nd Pan-American co	claration ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration er	on of the substance acompasses all lo	es within the manu wer level materials	facturer listed for which the	l item. Note: i manufacturer	f the item is an as has engineering	ssembly with low responsibility.	
	.1 IPC Web Site for Information on IPC-1752 Standard Form Type Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information							
upplier Information													
Company name* Company unique ID			ique ID		Unique ID Authority			Respo	Response Date*				
onsemi										2024-04-29			
Contact Name Title - Cont			ct]	Phone - Contact	Contact*			Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA			Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Represe			sentative	Phone - I			Representative* En		Email	Email - Representative*			
Product-Env-Stewards Produ			ct Enviro Compliance			NA			Prod	Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	STK672-	STK672-440BN-E Stepping motor dr		river		2024-04-29		VN2		3900.0	mg	Each	
Ianufacturing Proccess Info	rmation					-	-					·	
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terminal B		Alloy J	-STD-020 MSI	TD-020 MSL Rating		Peak Process Body Temperature Max Time at Peal		Peak Temper	rature Numb	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed CU		CU Alloy	I	NA		0	С	30	sec	onds 3			
omments													
or more information regarding ma	terial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	HS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead b), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl thalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexcess encompass all such components.Supplier cert as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided certification in this paragraph.If the Company	ted biphenyls and/or polybrominated dip of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ve relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr source of the Supplier's liability and the	henyl ethers (each a "RoHS restricted subs ndicate below which, if any, RoHS exempt ovides in this form using appropriate meth will rely on this certification in determinin ers in completing this form, and that Suppl num, itssuppliers have provided certificatio eement with respect to the identified part,t Company's remedies for issues that arise r	stance") in exce ion you believe ods to ensure i g the compliar ier may not ha ons regarding t he terms and co	ropean Union member states) of the part identifiess of the applicable quantity limit identified able may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member independently verified such information. How heir contributions to the part, and those certifica onditions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for se	elected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7c-I Electrical and electronic c	omponents containing lead in a glass o	r ceramic other than dielectric ceramic	in capacitors,	e.g. piezoelectronic devices, or in a glass or c	eramic matrix compound.							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature R	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	1204.8	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		7.1083	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		46.7462	mg
			В	Nickel (Ni)	7440-02-0		2.0482	mg
			Supplier	Acrylic resins	Proprietary Data		0.8434	mg
			Supplier	Copper (Cu)	7440-50-8		82.4083	mg
			Supplier	Barium Sulfate (BaSO4)	7727-43-7		0.6024	mg
			Supplier	Aluminum (Al)	7429-90-5		1065.0432	mg
Chip Parts	25.61	mg	Supplier	Silver (Ag)	7440-22-4		0.4226	mg
			Supplier	Epoxy resins	129915-35-1		0.2126	mg
			Supplier	Tin (Sn)	7440-31-5		0.8298	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		0.041	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.2177	mg
			Supplier	Ceramic	12013-47-7, 12047- 27-7		8.2131	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		11.1711	mg
			В	Nickel (Ni)	7440-02-0		1.8004	mg
			А	Lead Oxide (PbO)	1317-36-8	7c	0.0256	mg
			Supplier	Copper (Cu)	7440-50-8		2.4739	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.2023	mg
Die	8.96	mg	Supplier	Silicon (Si)	7440-21-3		8.9475	mg
			Supplier	Polyimide	Proprietary Data		0.0125	mg
Lead Frame	470.68	mg	Supplier	Tin (Sn)	7440-31-5		0.2824	mg
			Supplier	Copper (Cu)	7440-50-8		470.3976	mg
Mold Compound-Black	2180.81	mg		Brominated epoxy resin	proprietary data		43.6162	mg
			Supplier	Phenolic Resin	Proprietary Data		152.6567	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		43.6162	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1526.567	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		414.3539	mg
lating	0.95	mg	Supplier	Tin (Sn)	7440-31-5		0.5881	mg
			В	Nickel (Ni)	7440-02-0		0.3619	mg
Solder Ball	6.83	mg	Supplier	Silver (Ag)	7440-22-4		0.1906	mg
			Supplier	Tin (Sn)	7440-31-5		6.6005	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

			В	Antimony (Sb)	7440-36-0	0.0055	mg
			Supplier	Copper (Cu)	7440-50-8	0.0335	mg
Wire Bond	1.36	mg	Supplier	Silicon (Si)	7440-21-3	0.0049	mg
			Supplier	Aluminum (Al)	7429-90-5	1.3551	mg