IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under binternational and Pan-American copyright conventions.		nder both						er listed item. Note: ich the manufacture				
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and Mfg Information			
upplier	r Information													
Company name*				Company unique ID			Unique ID Authority				Response Date*			
nsemi											2025-06-04			
Contact Name			Title - Contact			F	Phone - Contact*				Email - Contact*			
?roduct-H	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com			
uthorize	d Representative*	Title - Representative			F	Phone - Representative*				Email - Representative*				
roduct-F	Env-Stewards	Product Enviro Compliance]	NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number	Mfr Iten	Mfr Item Number Mfr Item N		Name IPS PWM CONTROLLER		Effective Date	Version	Manufact	Manufacturing Site		UOM	Unit Type	
		UC3845BNG ANA SMPS PV		ANA SMPS PWM			2025-06-04 PH1			482.16	mg	Each		
lanufa	cturing Process Informa		Farminal Daga	Allow	-STD-020 MS	I. Doting	Dools Deco	ass Dody To	mperature Max	Eme at Deals	Form or other Number	ber of Reflow Cy	alas	
	3 · · · · · · · · · · · · · · · · · · ·		Terminal Base Alloy J-STD-CU Alloy NA			L Kaung	0		C 30	Time at Peak	seconds 3	ber of Reflow Cy	cies	
omments	` ′		CU Andy	I	\A		Į v		C 30		seconds 3			
minents														
	information regarding materia	1	1 6 4											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier prov											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg
Die Attach	8.92			Epoxy resin	proprietary data		0.223	mg
			Supplier	Silver (Ag)	7440-22-4		7.136	mg
			Supplier	Polybutadiene polymer	Proprietary Data		0.5798	mg
			Supplier	Acrylic resins	Proprietary Data		0.9812	mg
Lead Frame	139.78	mg	Supplier	Silver (Ag)	7440-22-4		0.9785	mg
			Supplier	Zinc (Zn)	7440-66-6		0.2796	mg
			Supplier	Iron (Fe)	7439-89-6		3.6343	mg
			Supplier	Copper (Cu)	7440-50-8		134.8877	mg
Mold Compound-Black	317.53			Epoxy resin	proprietary data		42.2315	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6351	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		274.6635	mg
Plating	13.56	mg	Supplier	Tin (Sn)	7440-31-5		13.56	mg
Wire Bond - Au	0.18	mg	Supplier	Gold (Au)	7440-57-5		0.18	mg