
Test Procedure for the NCV890231 DEMO BOARD REV 1.0



Required Equipment

2 x DC voltage source
1 x DC electronic load
2 x Multimeters

Test Procedure:

- 1. Connect the test setup as shown above.
- 2. Make sure the load is not enabled.
- 3. Apply an enable voltage $V_{EN}=0V$. Apply an input voltage, $V_{IN}=13.2$ V. V_{OUT} should be 0V.
- 4. Apply an enable voltage $V_{EN}=3V$. Verify that the *output voltage is 3.3 V* +/-0.15 V.
- 5. Set up the **load to 1.6A** and **enable** it. Verify that the *output voltage is still 3.3 V* +/-0.15 V.
- 6. Change the **input voltage to 36 V**. Verify that the *output voltage is 0 V*.
- 7. Change the **input voltage to 6 V**. Verify that the *output voltage is 3.3 V* +/-0.15 V.
- 8. Change the **input voltage to 3.9 V**. Verify that the *output voltage is 0 V*.
- 9. Change the **input voltage to 6 V**. Verify that the *output voltage is 3.3 V* +/-0.15 V.
- 10. Apply an enable voltage $V_{EN}=0V$. V_{OUT} should be 0V.
- 11. Turn off the DC sources.