

製品概要

CAV24C02: EEPROM Serial 2-Kb I²C - Automotive Grade

技術情報は、データシートをご参照ください。

The CAV24C02 is a EEPROM Serial 2-Kb I²C - Automotive Grade device organized internally as 16 pages of 16 bytes each. This device supports both the Standard (100 kHz) as well as Fast (400 kHz) I²C protocol. Data is written by providing a starting address, then loading 1 to 16 contiguous bytes into a Page Write Buffer, and then writing all data to non-volatile memory in one internal write cycle. Data is read by providing a starting address and then shifting out data serially while automatically incrementing the internal address count. External address pins make it possible to address up to eight CAV24C02 devices on the same bus.

特長

- Automotive Temperature Grade 1 (-40°C to +125°C)
 - 2.5 V to 5.5 V Supply Voltage Range
 - These Devices are PbFree, Halogen Free/BFR Free and are RoHS Compliant
 - Supports Standard and Fast I²C Protocol
 - 16-Byte Page Write Buffer
 - Hardware Write Protection for Entire Memory
 - CAV Prefix for Automotive and Other Applications Requiring Site and Change Control
 - Schmitt Triggers and Noise Suppression Filters on I²C Bus Inputs (SCL and SDA)
 - Low power CMOS Technology
 - 1,000,000 Program/Erase Cycles
- For more features, see the data sheet

利点

- Allows the use in safety critical application.
- Single power supply from 2.5V to 5.5V. Functional over the entire Temperature range.
- Space-Efficient Packaging

アプリケーション

- Door module
- Seat control unit
- Immobilizer unit
- Wiper module
- Fan control unit

電氣的仕様

製品	Pricing (\$/Unit)	Compliance	Status	Type	Density	Organization	Data Transmission Standard	f _{cycle} Max (kHz)	t _{acc} Max ns	V _{cc} Min (V)	V _{cc} Max (V)	I _{standby} Max (μA)	I _{act} Max (mA)	T Min (°C)	T Max (°C)	Package Type
CAV24C02WE-GT3	0.184	AEC Qualified PPAP Capable Pb-free Halide free	Active	Serial	2 kb	256 x 8	I ² C	400	900	2.5	5.5	5	2	-40	125	SOIC-8
CAV24C02YE-GT3	0.184	AEC Qualified PPAP Capable Pb-free Halide free	Active	Serial	2 kb	256 x 8	I ² C	400	900	2.5	5.5	5	2	-40	125	TSSOP-8

詳細は、弊社 www.onsemi.jp の営業または販売代理店にお問い合わせください。

9/24/2020 作成