



# PRODUCT CERTIFICATE

No.: CQC13001088101

## NAME AND ADDRESS OF THE APPLICANT

Fairchild Semiconductor Pte Ltd  
54 Serangoon North Ave , #02-01, Singapore 555845.

## NAME AND ADDRESS OF THE MANUFACTURER

Fairchild Semiconductor  
3030 Orchard Parkway, San Jose, CA 95134 , United States.

## NAME AND ADDRESS OF THE FACTORY

Lite-on Technology (Changzhou) Co (V013612)  
NO. 88 YANGHU RD WUJIN HI-TECH IND DEVELOPMENT ZONE, CHANGZHOU, JIANGSU,  
CHINA

## NAME, MODEL AND SPECIFICATION

Optocouplers

见附件(加强绝缘, 绝缘穿透距离 $\geq 0.4\text{mm}$ , 外部爬电距离 $\geq 8.0\text{mm}$ , 通过热循环测试, 仅适用于海拔5000米及以下)

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011

## CERTIFICATION MODEL

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned products have met the requirements of certification rules CQC11-471543-2012.

Date of issue: Jan.20,2014

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Jan.29,2013

President:

Wang Kejiao



# CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

C 0046976



# 产品认证证书

证书编号: CQC13001088101

## 申请人名称及地址

Fairchild Semiconductor Pte Ltd  
54 Serangoon North Ave, #02-01, Singapore 555845.

## 制造商名称及地址

Fairchild Semiconductor  
3030 Orchard Parkway, San Jose, CA 95134, United States.

## 生产企业名称及地址

光宝光电(常州)有限公司 (V013612)  
江苏省武进高新技术产业开发区阳湖路88号(出口加工区)

## 产品名称和系列、规格、型号

光电耦合器

见附件(加强绝缘, 绝缘穿透距离 $\geq 0.4\text{mm}$ , 外部爬电距离 $\geq 8.0\text{mm}$ , 通过热循环测试, 仅适用于海拔5000米及以下)

## 产品标准和技术要求

GB4943.1-2011

## 认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合CQC11-471543-2012认证规则的要求, 特发此证。

发证日期: 2014年01月20日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2013年01月29日

主任: \_\_\_\_\_



# 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0046976



# 产品认证证书

附录:

证书编号: CQC13001088101

第 1 页 共 1 页

纸号: 46976

FOD817\*、H11A817\*

(\*可以直接是空白、A、B、C、D、X, 表示产品均为双列直插式封装形式, 仅仅是型号不同; 也可以在空白、A、B、C、D、X基础上, 接以下数字或者字母, 意义是:

S: 表示产品为表面安装封装形式;

W: 表示产品为宽引线间距封装形式;

SD: 表示产品为表面安装封装形式和有卷带包装方向;

300: 表示产品已经获得VDE认证;

300W: 表示产品已经获得VDE认证并且为宽引线间距封装形式;

3S: 表示产品已经获得VDE认证并且是表面安装封装形式;

3SD: 表示产品已经获得VDE认证, 为表面安装封装形式以及有卷带包装方向)

注: 此附录与证书同时使用时有效。

主任: \_\_\_\_\_



## 中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>