



ON Semiconductor®

What to Consider When Designing a Collaborative Robot



ON Semiconductor®

What to Consider When Designing a Collaborative Robot

General Needs

Table 1.

	AC / DC	DC / DC	Point-of-Load	Motor Drive	Communications	Power Management
Collaborative Robots	Mains to equipment, battery charging.	Legacy actuator needs at 24 V, 12 V.	Sensors, peripherals, communications.	Gripping, lifting, traction, actuation, etc.	Multiple Protocols	Whole System

As the industry moves into the collaborative robotics market, what design considerations do I have to consider?

That could be a long list, of course, but to start out, we suggest you consider four areas that play major roles in any robotics system. Those areas are motion control, communications, sensing, and power management (see more aspects in the General Needs table below). The key is to make sure all these areas interconnect smoothly and accurately in some way, whether that is directly or through a central robotic control of some sort. Having said that, you'll want to understand your application needs early on.

In that case, can you suggest some application parameters to consider?

Yes. With respect to a collaborative robot, you'll want to know what load it will carry, and in what orientations; what operation it will perform; how fast it must move; what range limitations it has; and what safety features it needs. This will provide you with a baseline to start with. Collaborative robots are often designed to handle multiple applications and be moved from station to station where they can be reprogrammed for a different operation, so think flexibility as well.

Should I start with motion control once I have my application planned out?

All areas mentioned need to be considered together, so we suggest you focus on what part of the electronics your engineers are most familiar with. For motion control, you'll want to remember that collaborative robots often have their motor control boards integrated into

the robot arm, which means you'll have a variety of environmental conditions to pay attention to, including thermal management. This means that not only do you need to select components that are small, they must also use switches with low switching losses. There are a variety of metal-oxide (MOSFET) technology-based components available. High efficiency, lowpower devices are also ideal for such applications. You'll want to work with a company that offers a wide range of motor drivers in the event that you use a mixture of motor types, such as stepper, brushed or brushless.

What might I consider next in this scenario?

Whether you are designing an industrial robot or a collaborative robot, sensing will play a critical role in your design. Collaborative robots have the added need for sensors that detect human location and prevent collision, which make sophisticated sensor technologies important. Not only do they have to cover a wide range of space (up to several meters), they must also provide resolutions in the millimeter range – and multiple sensors are needed to cover wider ranges. Advanced sensing solutions, such as millimeter-wave radar, can detect objects at a range of up to 84 meters with a tight resolution. These RF sensors work in a variety of environmental conditions as well, including dust, smoke, fog, rain, and darkness. And this is only for safety precautions. What other sensor types does your application need? Video, audio, pressure, temperature. Be sure that the manufacturer of your sensor devices can handle all your needs so that you are not trying to integrate components from several companies that may not operate with the same efficiencies.

When considering the power distribution of all these components, are there things I should be aware of?


Again, taking your application into consideration, be sure that your power management system provides a full range of supply voltages, as well as key energy-saving capabilities (such as power management for very low quiescent currents in standby modes), a microprocessor wake-up signal, self-contained converters (if needed), and short circuit protection and tested operating ranges within standard temperature ranges from -25°C to 85°C.

When creating a communications interface, are there certain things to consider?

Most likely you'll have to consider that you'll be working with multiple communications protocols – again, dependent on your application needs. Make sure your selection includes flexible peripherals, connectivity, and a unified software support system. Such devices often use several cores to assure that the balance of integration, connectivity, and performance matches your needs.

I want to move pretty quickly so I don't miss the window of opportunity. What do you suggest?

Make sure you work with a company that provides a wide range of components that will be necessary from start to finish, such as the sensors you'll need to use on grippers and end-effectors to analog and digital timing components to discrete electronics, and computer chips, Finally, motor control electronics and power and power management devices to regulate all the operations you're looking to implement. Another thing to consider is to work with a company that offers a wide range of development boards for you to explore a variety of solutions for your application.

ON Semiconductor and  are trademarks of Semiconductor Components Industries, LLC dba ON Semiconductor or its subsidiaries in the United States and/or other countries. ON Semiconductor owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of ON Semiconductor's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. ON Semiconductor reserves the right to make changes without further notice to any products herein. ON Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does ON Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using ON Semiconductor products, including compliance with all laws, regulations and safety requirements or standards, regardless of any support or applications information provided by ON Semiconductor. "Typical" parameters which may be provided in ON Semiconductor data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. ON Semiconductor does not convey any license under its patent rights nor the rights of others. ON Semiconductor products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use ON Semiconductor products for any such unintended or unauthorized application, Buyer shall indemnify and hold ON Semiconductor and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that ON Semiconductor was negligent regarding the design or manufacture of the part. ON Semiconductor is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Email Requests to: orderlit@onsemi.com

ON Semiconductor Website: www.onsemi.com

TECHNICAL SUPPORT

North American Technical Support:

Voice Mail: 1 800-282-9855 Toll Free USA/Canada

Phone: 011 421 33 790 2910

Europe, Middle East and Africa Technical Support:

Phone: 00421 33 790 2910

For additional information, please contact your local Sales Representative