ASSOCIATION CONNIC	© Copyright 2005. IPC, international and Pan-Art	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docum level parts, t	ent is a declara he declaration	ion of the s encompasse	ubstances es all lowe	s within the manufact er level materials for	urer listed which the	item. Note: i manufacturer	f the item is an as has engineering	sembly with lower responsibility.	
1752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					rials and I	als and Mfg Information			
Supplier Info	ormation														
Company name*			Company unique ID				Unique ID Authority				Respo	Response Date*			
onsemi											2025-0	2025-08-01			
Contact Name			Title - Contact				Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Rep	presentative*		Title - Representative				Phone - Representative*				Email	Email - Representative*			
Product-Env-S	Stewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Requ	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Pe Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		NC7NZ04K8X- L22236 UHS Inverter		UHS Inverter			2025-08-01					9.554	mg	Each	
Manufacturi	ing Proccess Information	1													
Terminal Plating / Grid Array Material		Cerminal Base Alloy J-STD		J-STD-020 MS	L Rating	Peak Process Body Tempera		emperatu	ure Max Time at Peak Temp		ature Numb	per of Reflow Cyc	eles		
Matte Tin (Sn) - annealed			U Alloy 1		1		260 C		С	30 se		seconds 3			
Comments															
level 1 - maximu	um time at peak temperature d	luring sol	dering is 10-3	0 seconds											
For more inform	mation regarding material com	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight U		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.16	mg	Supplier	Silicon (Si)	7440-21-3		0.16	mg
Die Attach Epoxy	0.14	mg	Supplier	Silver (Ag)	7440-22-4		0.1288	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0112	mg
Lead Frame	4.286	mg	Supplier	Silver (Ag)	7440-22-4		0.265	mg
			Supplier	Zinc (Zn)	7440-66-6		0.008	mg
			Supplier	Iron (Fe)	7439-89-6		0.097	mg
			Supplier	Copper (Cu)	7440-50-8		3.91	mg
			Supplier	Phosphorus (P)	7723-14-0		0.006	mg
Mold Compound-Black	4.768	mg		Epoxy resin	proprietary data		0.2384	mg
			Supplier	Phenolic Resin	Proprietary Data		0.2384	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0954	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0238	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.172	mg
Plating	0.15	mg	Supplier	Tin (Sn)	7440-31-5		0.15	mg
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).