IPC ASSOCIATION CON ELECTRONICS INC	© Copyright 2005. IP	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			under both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				Materials and	ials and Mfg Information			
upplier In	nformation													
Company name*			Company un	ompany unique ID			Unique ID Authority				Response Date*			
ısemi											2025-05-12			
ontact Name	e		Title - Contact			P	Phone - Contact*				Email - Contact*			
roduct-Env-	-Stewards		Product Enviro Compliance			N	NA				Product-Env-Stewards@onsemi.com			
uthorized Re	epresentative*	Title - Representative			P	Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			N	NA			Produ	Product-Env-Stewards@onsemi.com			
Re	equester Item Number	Mfr Item	Number	Mfr Item Name]	Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
		NXH50C G	C120L2C2ES	TMPIM 1200V 5	0A CIB	-	2025-05-12		VN2		78316.33	mg	Each	
lanufactu	uring Proccess Informat	ion												
Ter	Terminal Plating / Grid Array Material		Γerminal Base Alloy J-STD-020 MS		J-STD-020 MSL	Rating	Peak Process Body Temperature Max Time at Pea		t Peak Temper	ature Numbe	er of Reflow Cy	cles		
Matte Tin (Sn) - annealed		C	CU Alloy NA		NA		0	С	30	seco	onds 3			
														

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	17208.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		7227.3599	mg
			Supplier	Copper (Cu)	7440-50-8		9980.6396	mg
Die	283.63	mg	Supplier	Silicon (Si)	7440-21-3		283.63	mg
Die Attach Solder	750.0	mg	Supplier	Silver (Ag)	7440-22-4		18.75	mg
			Supplier	Tin (Sn)	7440-31-5		727.5	mg
			Supplier	Copper (Cu)	7440-50-8		3.75	mg
Lead Frame	6950.0	mg	Supplier	Tin (Sn)	7440-31-5		0.695	mg
			В	Nickel (Ni)	7440-02-0		0.695	mg
			Supplier	Copper (Cu)	7440-50-8		6947.2197	mg
			Supplier	Phosphorus (P)	7723-14-0		1.39	mg
Mold Compound-Black	52800.0	mg		Metal Hydroxide	proprietary data		1320	mg
			Supplier	Carbon Black (C)	1333-86-4		264	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		44880	mg
			Supplier	EpoxyNovolaCresins (Cresolic)	64425-89-4		3696	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2640	mg
Thermistor	38.5	mg	Supplier	Tin (Sn)	7440-31-5		0.4813	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		0.0578	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0616	mg
			В	Nickel (Ni)	7440-02-0		8.9897	mg
			Supplier	Gold (Au)	7440-57-5		0.0077	mg
			Supplier	Iron (Fe)	7439-89-6		9.625	mg
			A	Lead Oxide (PbO)	1317-36-8		8.8242	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.0578	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		0.0578	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		0.7469	mg
			Supplier	Copper (Cu)	7440-50-8		4.2543	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		5.3361	mg
Wire Bond - Al	286.2	mg	Supplier	Silicon (Si)	7440-21-3		2.862	mg
			В	Nickel (Ni)	7440-02-0		14.31	mg
			Supplier	Aluminum (Al)	7429-90-5		269.028	mg